



Jason Industrial Multi-Plus[®] Dual Brand V-Belts

Terms & Conditions of Sales

Terms

Net 30 days unless otherwise specified by our Credit Department. We reserve the right to withhold shipments on order from accounts with unpaid balances of 45 days or older.

Freight Allowances

All shipments are F.O.B. point of shipment. For Freight Allowance, please refer to price/discount schedule.

Prices

All prices and quotations are subject to change without notice and are accepted subject to our ability to fill them at prices in effect at time of shipment.

Minimum Order

Individual orders must meet a minimum Net value of \$25.00 for all Jason products ordered, or the balance will be considered a service charge.

Returned Goods

Merchandise purchased from us may be returned only with our written approval with transportation charges prepaid. If, after our inspection, credit or adjustment is allowed, transportation charges will be refunded. Return of non-defective material will be subject to a handling charge.

Warranty

Jason products are warranted to be free of defects in workmanship and material, but are not guaranteed for any specific length of time or measure of service. Such liability under this warranty is limited to the purchase price only of the product(s) and does not include other liability direct or indirect nor consequential damages of any nature whatsoever. Claims on account of defect in quality of the said product shall be deemed to be waived by the buyer, unless made in writing within thirty (30) days after date of delivery. The Company will, at its own option, make replacements or issue credit after charging for service already rendered by the defective merchandise.

Customer Service

1-800-527-1247
(Fax) 1-800-527-2217

Jason Locations

Corporate Office - Central Warehouse

Jason Industrial, Inc.

340 Kaplan Drive
Fairfield, NJ 07004
973-227-4904
FAX: 973-227-1651

Branch Offices & Warehouses

Jason Industrial, Inc.

258 S. Westgate Drive
Carol Stream, IL 60188-2243
630-752-0600
FAX: 630-752-0680

Jason Industrial, Inc.

3724 East 26th Street
Los Angeles, CA 90023
323-265-8061
FAX: 323-265-0813

Jason Industrial Canada Ltd.

9135 Cote De Liesse
Dorval, Quebec H9P-2N9
514-631-6781
FAX: 514-631-7408

Jason Industrial Canada Ltd.

927 Matheson Blvd, East
Mississauga, Ontario L4W-2R7
905-602-4400
FAX: 905-602-4406

Jason Industrial Canada Ltd.

4242 99th St.
Edmonton, Alberta T6E-5B3
780-461-4400
FAX: 780-461-1034

Jason Industrial, S. De R.L. De C.V.

AV. Ceylan No. 959 Bodega 36
Col. Industrial Vallejo C.P. 02300
Azcapotzalco, Mexico D.F.
005255873680/5873785/5877374
FAX: 005255873688

Jason Industrial

Multi-Plus® Dual Brand V-Belts




- For Heating
- Air Conditioning
- Ventilation
- Refrigeration
- Industrial



**Jason
Industrial Inc.**

**SW1001-10
LIST PRICE
SCHEDULE
January 1, 2005**



POWER TRANSMISSION

V-BELTING

IN LEADING EDGE TECHNOLOGY

Multi-Plus®

The new brand on **Multi-Plus®** belts clearly identifies both RMA classical part number and dimensionally equivalent FHP number. This new labeling system is designed to reduce your total V-Belt cost.

Multi-Plus® Dual Brand belts allow both distributor and end user to consolidate their existing classical and FHP belt sizes into a single belt line that will handle both drive applications, resulting in a reduced inventory that equates to dollars saved for you.

A True Performance-Plus Line Up. . .


- every belt type you'll ever encounter
- made to perform
- priced to compete



Now access to Jason Industrial is available to you 24 hours a day, 7 days a week!

Introducing Jason's new online Business-to-Business Module!

See page 8 for more details!



F.H.P. V-BELTS
3L SECTION 3/8" Top x 7/32" Thick x 40° Angle

Belt Number	Outside Length	List Price
3L 130	13"	\$ 4.72
3L 140	14"	4.72
3L 150	15"	4.72
3L 160	16"	4.72
3L 170	17"	4.72
3L 180	18"	4.72
3L 190	19"	4.72
3L 200	20"	4.72
3L 210	21"	4.72
3L 220	22"	4.72
3L 230	23"	4.72
3L 240	24"	4.72
3L 250	25"	4.72
3L 260	26"	4.80
3L 270	27"	4.88
3L 280	28"	4.96
3L 285	28.5"	5.00
3L 290	29"	5.04
3L 300	30"	5.12
3L 310	31"	5.16
3L 315	31.5"	5.20
3L 320	32"	5.24
3L 330	33"	5.32
3L 340	34"	5.40

Belt Number	Outside Length	List Price
3L 350	35"	\$ 5.52
3L 360	36"	5.60
3L 370	37"	5.72
3L 380	38"	5.84
3L 390	39"	5.96
3L 400	40"	6.08
3L 410	41"	6.20
3L 420	42"	6.28
3L 430	43"	6.36
3L 440	44"	6.44
3L 450	45"	6.56
3L 460	46"	6.64
3L 470	47"	6.76
3L 475	47.5"	6.80
3L 480	48"	6.84
3L 490	49"	6.92
3L 500	50"	7.00
3L 510	51"	7.08
3L 520	52"	7.16
3L 530	53"	7.24
3L 540	54"	7.32
3L 550	55"	7.40
3L 560	56"	7.48
3L 570	57"	7.56

Belt Number	Outside Length	List Price
3L 580	58"	\$ 7.72
3L 590	59"	7.72
3L 600	60"	7.80
3L 610	61"	7.92
3L 620	62"	8.00
3L 630	63"	8.12
3L 640	64"	8.16
3L 650	65"	8.32
3L 660	66"	8.40
3L 670	67"	8.52
3L 680	68"	8.60
3L 690	69"	8.72
3L 700	70"	8.80
3L 710	71"	8.92
3L 720	72"	9.00
3L 730	73"	9.08
3L 740	74"	9.20
3L 750	75"	9.20
3L 760	76"	9.20




***MULTI-PLUS V-BELTS**
"A" SECTION 1/2" Top x 11/32" Thick x 40° Angle

A 15	4L 160	16"	\$ 4.96
A 16	4L 170	17"	4.96
A 17	4L 180	18"	4.96
A 18	4L 190	19"	4.96
A 19	4L 200	20"	4.96
A 20	4L 210	21"	5.00
A 21	4L 220	22"	5.00
A 22	4L 230	23"	5.08
A 23	4L 240	24"	5.08
A 24	4L 250	25"	5.12
A 25	4L 260	26"	5.16
A 26	4L 270	27"	5.20
A 27	4L 280	28"	5.20
A 28	4L 290	29"	5.28
A 29	4L 300	30"	5.40
A 30	4L 310	31"	5.48
A 31	4L 320	32"	5.60
A 32	4L 330	33"	5.60
A 33	4L 340	34"	5.68
A 34	4L 350	35"	5.80
A 35	4L 360	36"	5.88
A 36	4L 370	37"	6.00
A 37	4L 380	38"	6.00
A 38	4L 390	39"	6.00
A 39	4L 400	40"	6.40
A 40	4L 410	41"	6.64
A 41	4L 420	42"	6.68
A 42	4L 430	43"	6.72
A 43	4L 440	44"	6.80
A 44	4L 450	45"	7.00
A 45	4L 460	46"	7.04
A 46	4L 470	47"	7.12
A 47	4L 480	48"	7.20
A 48	4L 490	49"	7.32
A 49	4L 500	50"	7.40
A 50	4L 510	51"	7.48
A 51	4L 520	52"	7.52
A 52	4L 530	53"	7.60
A 53	4L 540	54"	7.64
A 54	4L 550	55"	7.80
A 55	4L 560	56"	8.00
A 56	4L 570	57"	8.00
A 56	4L 580	58"	8.20

A 57	4L 590	59"	\$ 8.24
A 58	4L 600	60"	8.28
A 59	4L 610	61"	8.32
A 60	4L 620	62"	8.40
A 61	4L 630	63"	8.52
A 62	4L 640	64"	8.60
A 63	4L 650	65"	8.80
A 64	4L 660	66"	8.92
A 65	4L 670	67"	9.00
A 66	4L 680	68"	9.00
A 67	4L 690	69"	9.12
A 68	4L 700	70"	9.20
A 69	4L 710	71"	9.60
A 70	4L 720	72"	9.60
A 71	4L 730	73"	9.64
A 72	4L 740	74"	9.72
A 73	4L 750	75"	9.80
A 74	4L 760	76"	9.88
A 75	4L 770	77"	10.00
A 76	4L 780	78"	10.16
A 77	4L 790	79"	10.24
A 78	4L 800	80"	10.40
A 79	4L 810	81"	10.60
A 80	4L 820	82"	10.80
A 81	4L 830	83"	11.00
A 82	4L 840	84"	11.12
A 83	4L 850	85"	11.28
A 84	4L 860	86"	11.40
A 85	4L 870	87"	11.60
A 86	4L 880	88"	11.76
A 87	4L 890	89"	11.92
A 88	4L 900	90"	12.08
A 89	4L 910	91"	12.24
A 90	4L 920	92"	12.40
A 91	4L 930	93"	12.56
A 92	4L 940	94"	12.68
A 93	4L 950	95"	12.80
A 94	4L 960	96"	12.96
A 95	4L 970	97"	13.08
A 96	4L 980	98"	13.20
A 97	4L 990	99"	13.36
A 98	4L 1000	100"	13.52
A 99		101"	13.76
A 100		102"	13.76

A 101	103"	\$ 14.00
A 102	104"	14.00
A 103	105"	14.28
A 104	106"	14.28
A 105	107"	14.40
A 106	108"	14.80
A 107	109"	14.80
A 108	110"	15.20
A 109	111"	15.60
A 110	112"	15.60
A 111	113"	15.80
A 112	114"	16.00
A 113	115"	16.32
A 114	116"	16.32
A 115	117"	16.46
A 116	118"	16.64
A 118	120"	16.96
A 119	121"	17.20
A 120	122"	17.20
A 124	126"	17.80
A 128	130"	18.40
A 130	132"	18.68
A 133	135"	19.12
A 134	136"	19.20
A 135	137"	19.44
A 136	138"	19.44
A 137	139"	19.44
A 140	142"	20.56
A 144	146"	20.56
A 157	159"	22.00
A 158	160"	22.60
A 162	164"	23.00
A 173	175"	24.00
A 180	182"	24.60
A 196	198"	25.50
A 197	199"	26.50
A 210	212"	29.73
A 221	223"	29.73
A 256	258"	45.88
A 258	260"	45.88

*UniMatch series belts ensure all belts are same size and type will measure within RMA matching limits. Combination branded i.e. A40 (4L420), B78 (5L810).



*MULTI-PLUS V-BELTS "B" SECTION 21/32" Top x 13/16" Thick x 40° Angle

Belt Number	Outside Length	List Price
5L 220	22"	\$ 5.92
5L 230	23"	6.08
B 20	23"	6.08
B 21 (5L 240)	26"	7.00
B 22 (5L 250)	25"	6.80
B 23 (5L 260)	26"	7.00
B 24 (5L 270)	27"	7.20
B 25 (5L 280)	28"	7.45
B 26 (5L 290)	29"	7.52
B 27 (5L 300)	30"	7.56
B 28 (5L 310)	31"	7.60
B 29 (5L 320)	32"	7.68
B 30 (5L 330)	33"	7.72
B 31 (5L 340)	34"	7.80
B 32 (5L 350)	35"	7.84
B 33 (5L 360)	36"	7.96
B 34 (5L 370)	37"	7.96
B 35 (5L 380)	38"	8.00
B 36 (5L 390)	39"	8.20
B 37 (5L 400)	40"	8.60
B 38 (5L 410)	41"	8.80
B 39 (5L 420)	42"	9.08
B 40 (5L 430)	43"	9.16
B 41 (5L 440)	44"	9.20
B 42 (5L 450)	45"	9.60
B 43 (5L 460)	46"	9.72
B 44 (5L 470)	47"	9.72
B 45 (5L 480)	48"	10.00
B 46 (5L 490)	49"	10.40
B 47 (5L 500)	50"	10.46
B 48 (5L 510)	51"	10.80
B 49 (5L 520)	52"	10.88
B 50 (5L 530)	53"	11.00
B 51 (5L 540)	54"	11.20
B 52 (5L 550)	55"	11.24
B 53 (5L 560)	56"	11.40
B 54 (5L 570)	57"	11.52
B 55 (5L 580)	58"	11.60
B 56 (5L 590)	59"	11.68
B 57 (5L 600)	60"	11.72
B 58 (5L 610)	61"	11.76
B 59 (5L 620)	62"	11.96
B 60 (5L 630)	63"	12.00
B 61 (5L 640)	64"	12.20
B 62 (5L 650)	65"	12.40
B 63 (5L 660)	66"	12.48
B 64 (5L 670)	67"	12.56
B 65 (5L 680)	68"	12.64
B 66 (5L 690)	69"	12.96
B 67 (5L 700)	70"	13.08
B 68 (5L 710)	71"	13.20
B 69 (5L 720)	72"	13.76
B 70 (5L 730)	73"	14.00
B 71 (5L 740)	74"	14.08
B 72 (5L 750)	75"	14.20
B 73 (5L 760)	76"	14.28
B 74 (5L 770)	77"	14.36
B 75 (5L 780)	78"	14.40
B 76 (5L 790)	79"	14.72
B 77 (5L 800)	80"	14.96

Belt Number	Outside Length	List Price
B 78 (5L 810)	81"	\$ 15.00
B 79 (5L 820)	82"	15.24
B 80 (5L 830)	83"	15.48
B 81 (5L 840)	84"	15.60
B 82 (5L 850)	85"	15.80
B 83 (5L 860)	86"	16.12
B 84 (5L 870)	87"	16.20
B 85 (5L 880)	88"	16.40
B 86 (5L 890)	89"	16.56
B 87 (5L 900)	90"	16.72
B 88 (5L 910)	91"	16.88
B 89 (5L 920)	92"	17.04
B 90 (5L 930)	93"	17.20
B 91 (5L 940)	94"	17.36
B 92 (5L 950)	95"	17.52
B 93 (5L 960)	96"	17.68
B 94 (5L 970)	97"	17.88
B 95 (5L 980)	98"	18.04
B 96 (5L 990)	99"	18.20
B 97 (5L 1000)	100"	18.80
B 98 (5L 1010)	110"	18.92
B 99 (5L 1020)	102"	19.16
B 100	103"	19.16
B 101	104"	19.28
B 102	105"	19.40
B 103	106"	19.48
B 104	107"	19.60
B 105	108"	20.00
B 106	109"	20.40
B 107	110"	20.60
B 108	111"	20.68
B 109	112"	20.96
B 110	113"	21.16
B 111	114"	21.60
B 112	115"	21.60
B 113	116"	22.00
B 114	117"	22.00
B 115	118"	22.08
B 116	119"	22.20
B 118	121"	22.52
B 120	123"	22.80
B 122	125"	23.60
B 123	126"	25.83
B 124	127"	23.60
B 125	128"	23.60
B 126	129"	24.00
B 127	130"	24.20
B 128	131"	24.40
B 130	133"	24.64
B 131	134"	24.88
B 132	135"	24.88
B 133	136"	25.00
B 134	137"	25.08
B 135	138"	25.20
B 136	139"	25.60
B 138	141"	26.40
B 140	143"	26.60
B 141	144"	27.00
B 142	145"	27.19
B 144	147"	27.60

Belt Number	Outside Length	List Price
B 147	150"	\$ 28.40
B 148	151"	28.40
B 150	153"	28.70
B 152	155"	29.00
B 153	156"	29.16
B 154	157"	29.32
B 156	159"	29.84
B 157	160"	29.84
B 158	161"	30.00
B 162	165"	30.80
B 163	166"	31.00
B 165	168"	31.50
B 168	171"	32.80
B 170	173"	32.23
B 173	176"	32.80
B 175	178"	33.28
B 177	180"	33.84
B 180	183"	34.40
B 182	185"	35.16
B 184	187"	35.16
B 188	191"	36.27
B 190	193"	36.27
B 192	195"	36.64
B 195	198"	37.20
B 197	200"	37.61
B 204	207"	38.88
B 205	208"	40.00
B 210	213"	40.00
B 215	218"	40.94
B 221	224"	41.00
B 223	226"	42.24
B 224	227"	42.40
B 225	228"	42.60
B 228	231"	43.08
B 229	232"	43.28
B 234	237"	44.07
B 237	240"	45.00
B 240	243"	45.20
B 248	251"	47.20
B 253	256"	48.36
B 255	258"	48.80
B 259	262"	49.44
B 265	268"	50.25
B 270	273"	51.20
B 276	279"	52.00
B 285	288"	53.20
B 292	295"	55.29
B 293	296"	56.80
B 300	330"	56.80
B 315	318"	59.60
B 330	333"	62.40
B 333	336"	63.00
B 345	348"	65.40
B 360	363"	80.00
B 394	397"	87.56
B 433	436"	96.23
B 472	475"	104.88



"C" SECTION 7/8" Top 17/32" Thick x 40° Angle

C 41	45"	\$15.20
C 43	47"	15.20
C 45	49"	16.80
C 46	50"	16.80
C 47	51"	16.80
C 48	52"	16.80
C 50	54"	18.40
C 51	55"	18.40
C 52	56"	19.20
C 53	57"	19.20
C 54	58"	20.20
C 55	59"	20.20
C 56	60"	20.40
C 57	61"	21.60
C 58	62"	21.60

C 59	63"	\$21.60
C 60	64"	21.60
C 62	66"	22.40
C 63	67"	22.52
C 64	68"	23.68
C 65	69"	24.40
C 66	70"	24.40
C 67	71"	24.40
C 68	72"	24.40
C 69	73"	25.40
C 70	74"	25.40
C 72	76"	25.76
C 73	77"	25.76
C 75	79"	26.80
C 78	82"	27.80

C 79	83"	\$ 28.80
C 80	84"	28.80
C 81	85"	29.20
C 83	87"	29.60
C 85	89"	30.00
C 86	90"	32.40
C 87	91"	32.40
C 88	92"	32.40
C 90	94"	32.40
C 92	96"	33.40
C 93	97"	33.40
C 94	98"	33.70
C 96	100"	34.40
C 97	101"	34.60
C 98	102"	35.00




**"C" SECTION 7/8" Top 17/32" Thick x 40° Angle
(Continued)**

Belt Number	Outside Length	List Price
C 99	103"	\$35.10
C 100	104"	35.20
C 101	105"	35.40
C 102	106"	35.60
C 103	107"	36.24
C 104	108"	37.60
C 105	109"	37.60
C 106	110"	37.96
C 108	112"	38.68
C 109	113"	38.40
C 110	114"	39.40
C 112	116"	40.00
C 115	119"	41.04
C 116	120"	41.04
C 118	122"	41.12
C 120	124"	42.80
C 124	128"	44.20
C 126	130"	44.91
C 128	132"	45.60
C 130	134"	46.32
C 132	136"	47.72
C 134	138"	47.72
C 136	140"	48.40
C 138	142"	48.49
C 140	144"	49.80
C 141	145"	50.00
C 142	146"	50.00

Belt Number	Outside Length	List Price
C 143	147"	\$ 50.84
C 144	148"	51.20
C 148	152"	52.32
C 150	154"	53.20
C 152	156"	53.80
C 153	157"	54.00
C 154	158"	55.00
C 155	159"	55.50
C 156	160"	58.00
C 158	162"	56.00
C 159	163"	56.00
C 160	164"	56.49
C 162	166"	57.20
C 166	170"	58.60
C 168	172"	59.36
C 172	176"	61.20
C 173	177"	61.20
C 175	179"	64.00
C 177	181"	62.27
C 180	184"	64.00
C 185	189"	65.80
C 188	192"	66.90
C 190	194"	67.60
C 195	199"	69.20
C 200	204"	71.20
C 202	206"	72.56
C 204	208"	72.56

Belt Number	Outside Length	List Price
C 207	211"	\$ 74.06
C 208	212"	74.06
C 210	214"	74.80
C 220	224"	79.40
C 225	229"	79.40
C 228	232"	80.32
C 238	242"	84.00
C 240	244"	84.00
C 245	249"	85.20
C 246	250"	85.50
C 248	252"	86.20
C 255	259"	90.40
C 270	274"	94.80
C 276	280"	96.72
C 280	284"	98.50
C 285	289"	99.60
C 297	301"	104.08
C 300	304"	105.20
C 303	307"	106.36
C 314	318"	110.00
C 315	319"	111.00
C 330	334"	115.60
C 345	349"	121.40
C 360	364"	126.00
C 390	394"	136.80
C 420	424"	147.20
C 480	484"	168.23



**MOLDED COGGED V-BELTS
"AX" SECTION 1/2" Top x 5/16" Thick x 40° Angle**

AX 22	24"	\$ 10.40
AX 23	25"	10.40
AX 24	26"	10.40
AX 25	27"	10.40
AX 26	28"	10.40
AX 27	29"	10.40
AX 28	30"	10.40
AX 29	31"	10.40
AX 30	32"	11.04
AX 31	33"	11.20
AX 32	34"	11.40
AX 33	35"	11.60
AX 34	36"	11.84
AX 35	37"	12.00
AX 36	38"	12.24
AX 37	39"	12.56
AX 38	40"	12.80
AX 39	41"	13.28
AX 40	42"	13.28
AX 41	43"	13.52
AX 42	44"	13.76
AX 43	45"	14.00
AX 44	46"	14.20

AX 45	47"	\$ 14.30
AX 46	48"	14.40
AX 47	49"	14.72
AX 48	50"	14.72
AX 49	51"	15.04
AX 50	52"	15.04
AX 51	53"	15.20
AX 52	54"	15.36
AX 53	55"	15.52
AX 54	56"	15.76
AX 55	57"	15.92
AX 56	58"	16.08
AX 57	59"	16.37
AX 58	60"	16.36
AX 59	61"	16.52
AX 60	62"	16.80
AX 61	63"	17.20
AX 62	64"	17.20
AX 63	65"	17.33
AX 64	66"	17.60
AX 65	67"	18.03
AX 66	68"	18.00
AX 67	69"	18.20

AX 68	70"	\$ 18.40
AX 69	71"	19.14
AX 70	72"	19.20
AX 71	73"	19.36
AX 72	74"	19.63
AX 73	75"	19.68
AX 75	77"	20.00
AX 76	78"	20.26
AX 78	80"	20.96
AX 80	82"	21.62
AX 84	86"	23.00
AX 85	87"	23.20
AX 86	88"	23.47
AX 90	92"	24.80
AX 92	94"	25.35
AX 96	98"	26.40
AX 105	107"	28.80
AX 108	110"	29.26
AX 110	112"	31.04
AX 112	114"	32.00
AX 120	122"	34.40
AX 128	130"	36.80
AX 136	138"	39.20



**MOLDED COGGED V-BELTS
"BX" SECTION 21/32" Top x 13/32" Thick x 40° Angle**

BX 30	33"	\$ 13.71
BX 31	34"	14.17
BX 32	35"	16.00
BX 33	36"	16.00
BX 34	37"	16.00
BX 35	38"	16.00
BX 36	39"	16.48
BX 37	40"	17.14

BX 38	41"	\$ 17.60
BX 39	42"	17.60
BX 40	43"	18.40
BX 41	44"	18.80
BX 42	45"	19.20
BX 43	46"	19.60
BX 44	47"	19.90
BX 45	48"	20.40

BX 46	49"	\$ 20.80
BX 47	50"	20.99
BX 48	51"	21.44
BX 49	52"	22.08
BX 50	53"	22.08
BX 51	54"	22.40
BX 52	55"	22.64
BX 53	56"	22.80



MOLDED COGGED V-BELTS
"BX" SECTION 21/32" Top x 13/32" Thick x 40° Angle
(Continued)

Belt Number	Outside Length	List Price
BX 54	57"	\$ 23.04
BX 55	58"	23.20
BX 56	59"	23.36
BX 57	60"	23.68
BX 58	61"	23.68
BX 59	62"	23.84
BX 60	63"	24.00
BX 61	64"	24.32
BX 62	65"	24.64
BX 63	66"	24.96
BX 64	67"	25.28
BX 65	68"	25.60
BX 66	69"	25.92
BX 67	70"	26.16
BX 68	71"	26.40
BX 69	72"	27.12
BX 70	73"	27.12
BX 71	74"	27.44
BX 72	75"	27.44
BX 73	76"	28.80
BX 74	77"	28.80
BX 75	78"	28.80
BX 76	79"	29.60
BX 77	80"	29.60

Belt Number	Outside Length	List Price
BX 78	81"	\$ 30.00
BX 79	82"	30.40
BX 80	83"	30.80
BX 81	84"	31.20
BX 82	85"	32.00
BX 83	86"	32.24
BX 84	87"	32.80
BX 85	88"	32.80
BX 86	89"	34.40
BX 87	90"	34.40
BX 88	91"	33.62
BX 89	92"	34.01
BX 90	93"	34.40
BX 91	94"	35.22
BX 92	95"	35.50
BX 93	96"	36.00
BX 94	97"	36.41
BX 95	98"	36.80
BX 96	99"	37.20
BX 97	100"	37.60
BX 98	101"	37.77
BX 99	102"	38.16
BX 100	103"	38.40
BX 103	106"	39.20

Belt Number	Outside Length	List Price
BX 105	108"	\$ 40.00
BX 108	111"	41.52
BX 112	115"	43.20
BX 113	116"	43.52
BX 115	118"	44.10
BX 116	119"	44.40
BX 120	123"	45.60
BX 124	127"	47.20
BX 128	131"	48.80
BX 133	135"	51.20
BX 136	139"	52.16
BX 144	147"	55.20
BX 150	153"	57.28
BX 158	161"	60.00
BX 162	163"	62.40
BX 173	176"	65.60
BX 180	183"	68.80
BX 195	198"	74.40
BX 210	213"	80.00
BX 225	226.5"	84.96
BX 240	241.5"	90.40
BX 255	256.5"	96.40
BX 270	271.5"	102.40



WEDGE COGGED V-BELTS
"3VX" SECTION 3/8" Top x 5/15" Thick x 40° Angle
"5VX" SECTION 5/8" Top x 17/32" Thick x 40° Angle

Belt Number	Outside Length	List Price
3VX 250	25"	\$ 7.80
3VX 265	26.5"	8.00
3VX 280	28"	8.20
3VX 290	29"	8.40
3VX 300	30"	8.40
3VX 315	31.5"	8.80
3VX 335	33.5"	9.00
3VX 355	35.5"	9.40
3VX 375	37.5"	9.60
3VX 390	39"	10.20
3VX 400	40"	10.20
3VX 425	42.5"	10.60
3VX 450	45"	11.00
3VX 475	47.5"	11.40
3VX 500	50"	11.60
3VX 530	53"	12.00
3VX 560	56"	12.40
3VX 600	60"	13.00
3VX 630	63"	13.40
3VX 670	67"	14.00
3VX 710	71"	14.80
3VX 750	75"	15.60
3VX 800	80"	16.60
3VX 850	85"	17.80
3VX 900	90"	19.20
3VX 950	95"	20.20
3VX 1000	100"	21.40
3VX 1060	106"	22.60
3VX 1120	112"	24.60
3VX 1180	118"	26.20
3VX 1250	125"	28.00
3VX 1320	132"	29.60
3VX 1400	140"	31.40

Belt Number	Outside Length	List Price
5VX 450	45"	\$24.60
5VX 470	47"	24.60
5VX 490	49"	24.60
5VX 500	50"	24.60
5VX 510	51"	25.60
5VX 530	53"	25.60
5VX 540	54"	26.80
5VX 550	55"	26.80
5VX 560	56"	26.80
5VX 570	57"	29.00
5VX 580	58"	29.00
5VX 590	59"	29.00
5VX 600	60"	29.00
5VX 610	61"	30.40
5VX 630	63"	30.40
5VX 650	65"	32.40
5VX 670	67"	32.40
5VX 680	68"	34.40
5VX 690	69"	34.40
5VX 710	71"	34.40
5VX 730	73"	36.40
5VX 740	74"	36.40
5VX 750	75"	36.40
5VX 780	78"	38.80
5VX 800	80"	38.80
5VX 810	81"	41.80

Belt Number	Outside Length	List Price
5VX 830	83"	\$41.80
5VX 840	84"	41.80
5VX 850	85"	41.80
5VX 860	86"	43.40
5VX 880	88"	43.40
5VX 900	90"	43.40
5VX 930	93"	46.60
5VX 950	95"	46.60
5VX 960	96"	46.60
5VX 1000	100"	49.20
5VX 1030	103"	52.20
5VX 1060	106"	52.20
5VX 1080	108"	55.20
5VX 1120	112"	55.20
5VX 1150	115"	56.72
5VX 1180	118"	58.20
5VX 1230	123"	61.80
5VX 1250	125"	61.80
5VX 1320	132"	65.20
5VX 1400	140"	68.80
5VX 1500	150"	74.00
5VX 1600	160"	79.00
5VX 1700	170"	84.00
5VX 1800	180"	89.20
5VX 1900	190"	94.40
5VX 2000	200"	99.60

4230 ALL SEASON Reinforced Hose



Green Transparent

- Sturdy 3-ply construction for high-burst pressure.
- All-weather rubber/vinyl for lasting durability and flexibility.
- Spiral reinforcement provides excellent kink resistance.
- Solid brass couplings.

4232 COMMERCIAL Heavy-Duty Hose



Green (Yellow Stripe)

- Professional grade (TPR) rubber/vinyl for maximum flexibility, hot water use, highly abrasion resistant.
- Tough 4-ply heavy duty construction, kink resistant for easy coiling.
- Crush-resistant, machined brass couplings.

4230, 4232 & W5020A Pricing Information

ID	LENGTH	PSI	LBS	PART NO.	LIST EA.
5/8	50'	400 Burst	6	4230-063150	\$21.52
5/8	75'	400 Burst	8	4230-063175	32.84
5/8	50'	500 Burst	8	4232-063150	43.06
Pistol Grip Hose Nozzle			1	W5020A	6.96

W5020A Pistol Grip Hose Nozzle



- Heavy duty zinc body.
- Solid brass mechanism.
- Molded urethane, non-marking exterior.
- Smooth action lever.

4505 Clear Vinyl Tubing




- Clear, tough, flexible tubing
- For air conditioning and refrigeration condensate drain, condensate pump discharge lines, humidifier overflows and many more industrial & domestic uses.

4505 CLEAR VINYL TUBING

Part No.	ID/OD Length	List Price
4505-0304	3/16" X 1/4" X 100'	SEE NET PRICE
4505-0406	1/4" X 3/8" X 100'	
4505-0608	3/8" X 1/2" X 100'	
4505-1012	5/8" X 3/4" X 100'	
4505-1214	3/4" X 7/8" X 100'	
4505-1620	1" X 1 1/4" X 100'	


V-BELT ACCESSORIES



V-BELT DISPLAY

Display up to 184 belts at once. 46 hooks hold up to 4 belts each. Display height is 30", width 42", 25" deep. Includes header sign and bracket accessories for easy set up.


Part No. WFD-42.....Net \$128.00 ea.



110" BELT MEASURER

Measures all size Industrial belts up to 110" in ranges of 3/8", 1/2" and 5/8" accurately and efficiently.

Part No. 32-9108.....Net \$20.94 ea.



V-BELT WALL RACK

36" long mounting rack with eight 8" hooks provided. Includes two brackets for quick, easy, durable mounting.

Part No. WHD-7.....Net \$6.30 ea.

ACCU-LINK[®]

ADJUSTABLE V-BELTS

FROM



**Jason
Industrial Inc.**

Solve HVAC V-Belt Drive Problems Quickly, Accurately & Permanently!

- The ideal temporary replacement or permanent substitute for conventional rubber V-Belts.
- Easy snap and twist assembly. No special tools!
- Ideal for emergency repairs and replacements. Fits any drive and available in most popular sizes!
- You will never be without a belt in any circumstance.




Size	Part No.	Length	Pkg.	List Price
A(4L)	A-PAK-4	4'	Display Pack	\$ 68.26
	A-Link-5	5'	Sleeve	14.80 (ft)
	A-Link-25	25'	Carton	14.80
	A-Link-100	100'	Carton	14.80
B(5L)	B-PAK-4	4'	Display Pack	\$ 82.02
	B-Link-6	6'	Sleeve	17.24 (ft)
	B-Link-25	25'	Carton	17.24
	B-Link-100	100'	Carton	17.24



Accu-Link® Adjustable Link V-Belt Higher Tenacity Fabric & Improved Penetration of Urethane Elastomer

Solve HVAC V-Belt Drive Problems “In A Snap!”




Accu-Link® Adjustable Link V-Belts from Jason are the ideal replacement substitute for conventional Rubber V-Belts.



- **Accu-Link® Adjustable V-Belts** are made of high-performance polyurethane reinforced with multiple plies of polyester material. Provides a strong, flexible, vibration-dampening belt with the same horsepower ratings as conventional rubber V-Belts. And a simple insert-and-twist of the wrist gives you the length you need - no tools required.
- **Ideal for HVAC/R use** on industrial fans and blowers, pumps, furnaces, air coolers, air/refrigeration compressors, blower/ventilators, evaporative coolers and rooftop heating/cooling units.
- **Cut your inventory.** Carry a pack of the most common sections - 3L, A/4L and B/5L. Available in HVAC packs of 5', 25' and 100' lengths.



Jason laboratory tests of B-section link on 3.4" to 3.6" pulleys powering a 5 Hp fan drive showed Jason Accu-Link® average belt life superior to competition by 11.6%.



Installation is a Snap!

Installation and assembly is as easy as a snap and a twist. No special tools required and belts can be made to accommodate any length, which makes them ideal for emergency repairs and replacements. Installs in a fraction of the time needed for endless rubber belts.

Jason Industrial Business-to-Business Module

Now access to Jason Industrial is available to you 24 hours a day, 7 days a week on our new interactive web site!

With your Business Partner log-in on our new and secure Distributor Access area, you have complete online access to:

- **Place an order**
- **Check order status and track shipping**
- **Check current inventory, pricing and availability**
- **Review account status and sales history**

For more information on how to sign up, give us a call toll-free at (800) 527-1247.


Visit our new interactive web site today! Choose from a menu of products and services:

- **Review all product catalogs, catalog indexes, product information and part numbers.**
- **Locate our manufacturing plants and distribution centers around the nation and world.**
- **Search our News page for information on new and existing products.**


www.jasonindustrial.com

Jason Industrial Inc.


For catalog information, see www.jasonindustrial.com




Power Transmission Belts
Catalog JB-7




Urethane Power Transmission Belts
Catalog UB-4




Industrial Hose, Couplings & Accessories
Catalog HC-7




Accu-Link Belts
Catalog AL-4




Tiger Horsepower Synchronous Belts
Supplement




HVAC/R Belts & Accessories
Catalog SW1001-10




Appliance & HVAC Replacement Parts
Catalog APPL-1



Lawn & Garden Belts
Catalog LG-1006



Sheaves, Timing Pulleys & Bushings
Catalog JI-3



Synchronous Belt Technical Manual
TM-2










Autotension Self-Tensing Belt



Made to Order Timing Belts



Skirtboard Rubber



Your Industrial Rubber Solution!